



Design by Helena Chmelíková

PRECIOSA Hill™

151 01 357; 8 mm



PRECIOSA Rocailles

311 19 001; 6/0

331 19 001; 10/0; 8/0



PRECIOSA Three-Cut Beads

361 31 001; 3 x 8/0



*PRECIOSA ORNELA introduces beads and seed beads
from the PRECIOSA Traditional Czech Beads™ brand.*

preciosa-ornela.com



TRADITIONAL
CZECH BEADS

NECKLACE WITH A TASSEL AND LINKED PRECIOSA HILL™ BEADS

Silver fox

PRECIOSA

Silver fox

Try using the new PRECIOSA Hill™ fire polished bead and enjoy the options offered by its new geometric semi-circular shape with facets, which enhance the effects of the surface finishes, in combination with a rocaille tassel when creating an elegant necklace for every occasion. Discover the options presented by the linking technique when used with the PRECIOSA Hill™ bead. Preciosa Ornela presents a tutorial for a necklace with the newly fire polished PRECIOSA Hill™ bead.

Materials and tools:

PRECIOSA Hill™
151 01 375; 8 mm;
03000/27203; white-grey; 43x; H



PRECIOSA Rocailles
311 19 001; 6/0;
03050; white; about 160x; R6



331 19 001; 10/0;
48020; grey; about 400x; R10



331 19 001; 8/0;
20701; chrome; about 200x; R8



PRECIOSA Three-Cut Beads
361 31 001; 3 x 8/0;
46102; white; about 300x; T8



- platinum metal parts – eye pins: 15 mm, 19 mm, 26 mm or the nearest higher dimension; 4 mm and 6 mm rings; a medium-sized chain; a carabiner; a counter-ring



- medium white or grey thread (polyester Belfil-S 50); a spacer (a 2 x 2 cm square made of 0.5 cm thick cardboard; cut to the middle)
- needle nose pliers; flat nose pliers (straightening the linked eyes, closing the rings); scissors; a ruler



Difficulty: ●●●●●

Procedure:

The linked section

Linked diamonds
You need 3 diamond shapes. You will need 9x H for one diamond. All of them are oriented in the same direction.



Step 1
Link 27x H. String 1x H onto the shortest eye pin. Grasp the end of the eye pin's wire with the points of the needle nose pliers in the upper section. Twist it around the point. Gently twist the linked eye back at the edge of the hole. It will be located centrally above the hole. The eyes on both sides of the H must be in the same position. Straighten them using the two pliers. If the eye pin is too long, shorten the protruding linked section of the wire to about 8 mm. Then twist an eye.



Step 2
String 1x H, 1x R6, 1x H, 1x R6 and 1x H onto a medium-sized eye pin. The central H is turned in the opposite direction to the outer ones. If the eye pin is too long, shorten the protruding wire to 8 mm. Create an eye. The eyes on both sides should be in the same position.



Step 3
String 1x H, 1x R6 and 1x H from the already linked part of the diamond, 1x R6, 1x H, 1x R6 and 1x H from the already linked part of the diamond and 1x R6 and 1x H on the longest eye pin. The H on the already linked sections are turned in the opposite direction to the newly strung ones. Adjust the length of the eye pin. Create an eye. The eyes on both sides should be in the same position.



Step 4
String 1x H from the already linked part of the diamond, 1x R6, 1x H, 1x R6 and 1x H from the already linked part of the diamond and 1x R6, 1x H, 1x R6 and 1x H from the longest eye pin. The H on the already linked sections are turned in the opposite direction to the newly strung ones. Adjust the length of the pin. Create an eye. The eyes on both sides should be in the same position.



Step 5
String 1x H from the already linked part of the diamond and 1x R6, 1x H, 1x R6 and 1x H from the already linked part of the diamond on a medium-sized eye pin. The H on the already linked sections are turned in the opposite direction to the newly strung ones. Adjust the length of the pin. Create an eye. The eyes on both sides should be in the same position.



The linked chain

Step 6
Link chains of 4x H from a further 16x H. Link 1x H. String a new eye pin before fully closing the eye. Continue linking further H. Twist the H in the chain in the same direction. Link the H chains from both sides of two diamonds. Once again, pay attention to the direction of the H.



The tassel

String 10 cords at a length of 17.5 cm with a 0.5 cm gap (2x R6, 2x R8, 3x R10, 3x T8).




Step 1
Prepare the spacer made from thick cardboard. Cut out squares with 2 cm sides. Glue them together. Make a cut to the centre on one side of the square.



Step 2

Thread about 15 cm of the thin tailor's thread into the eye of a needle. Tie off the ends. This will create a large loop. Thread the medium thick thread through the loop.



Step 3

Cut off a longer piece of thread. String 13 cm of material on one end, leave out the last strung piece. Thread the line through all the others one more time. String 4.5 cm of material on the other end. Leave out the last piece. Thread the line through all the others.

the tassel - cord



Step 4

Move both parts together. Insert the spacer between the seed beads in the shorter part. Tie off the ends of the thread.



Step 5

Remove the spacer. Thread the ends of the thread through several seed beads in the shorter part and cut them off. Move the seed beads over the knot in the direction towards the end. Make a gap in the middle of the cord.



Step 6

Fold all 10 cords in half. Place them one after the other into an open 6 mm ring at the site of the gap. String the eye of the eye pin by the H on the diamond in the ring. Turn the H with the facet towards the tassel. Close the ring.



Completion

Step 7

Connect the outer H at the linked chains with the diamond above the tassel using 6 mm rings. Orient all the H with the facet downwards.



Step 8

Connect the chain to the linked eyes at the outer H on the other side of the linked chains. Adjust the length as necessary. The chains in the example are 25 cm long. The tassel stretches to the waist.



Step 9

Connect the carabiner and the counter-ring on the opposite end of the chain using a 4mm ring.

